


L Number	Hits	Search Text	DB	Time stamp
1	2	HAI ADJ YING NEAR zhu	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:32
2	16	Grapevine ADJ leafroll ADJ virus	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:33
5	10567	Agrobacterium	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:45
6	9	(Grapevine ADJ leafroll ADJ virus) and Agrobacterium	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:40
7	6945	Agrobacterium NEAR (vitis or tumefaciens)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:47
11	595	(Agrobacterium NEAR (vitis or tumefaciens)) and grape	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:46
12	288	Agrobacterium NEAR (vitis or tumefaciens).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:47
13	33	(Agrobacterium NEAR (vitis or tumefaciens).clm.) and grape	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:49
14	120	(Agrobacterium NEAR (vitis or tumefaciens).clm.) and (host ADJ cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/13 15:54
23	12	(US-5907085-\$ or US-6558953-\$ or US-6638720-\$ or US-5459252-\$ or US-5648477-\$ or US-5668298-\$ or US-6197948-\$).did. or (US-20030198942-\$).did. or (WO-9853055-\$ or WO-9722700-\$ or WO-9955880-\$).did. or (WO-200105957-\$).did.	USPAT; US-PGPUB; EPO; DERWENT	2003/11/13 16:59



Entrez PubMed Nucleotide Protein Genome Structure PMC Journals Books

Search **PubMed** for
☒ Limits **History**

[About Entrez](#)

[Text Version](#)

Entrez PubMed

[Overview](#)
[Help | FAQ](#)
[Tutorial](#)
[New/Noteworthy](#)
[E-Utilities](#)

PubMed Services

[Journals Database](#)
[MeSH Database](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[LinkOut](#)
[Cubby](#)

Related Resources

[Order Documents](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)

[Privacy Policy](#)

- Search History will be lost after eight hours of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.

Search	Most Recent Queries	Time	Result
#6 Search Gonsalves D Field: Author		18:09:54	<u>33</u>
#5 Search #4 AND coat		18:08:32	<u>135</u>
#4 Related Articles for PubMed (Select 9229001)		18:08:03	<u>268</u>
#2 Search #1 AND agrobacterium		18:07:34	<u>8</u>
#1 Search gravevine leafroll virus		18:06:48	<u>135</u>


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Nov 3 2003 06:53:19



Entrez PubMed Nucleotide Protein Genome Structure PMC Journals Books
Search for
Limits Preview/Index History Clipboard Details

About Entrez

Display Show: Sort Send to

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

1: Arch Virol. 1997;142(6):1101-16.

[Related Articles, Links](#)

Archives of
Virology

The coat protein gene of grapevine leafroll associated closterovirus-3: cloning, nucleotide sequencing and expression in transgenic plants.

Ling KS, Zhu HY, Alvizo H, Hu JS, Drong RF, Slightom JL, Gonsalves D.

Department of Plant Pathology, Cornell University, New York State Agricultural Experiment Station, Geneva, USA.

A lambda ZAP II cDNA library was constructed by cloning cDNA prepared from a high molecular weight double-stranded RNA (dsRNA, ca. 18 kb) isolated from grapevine leafroll associated closterovirus-3 (GLRaV-3) infected tissues. This cDNA library was immuno-screened with GLRaV-3 coat protein specific polyclonal and monoclonal antibodies and three immuno-positive clones were identified. Analysis of nucleotide sequences from these clones revealed an open reading frame (ORF) which was truncated at the 3' end; the remainder of this ORF was obtained by sequencing a fourth clone that overlapped with one of the immunopositive clones. A total of 2028 bp was sequenced. The putative GLRaV-3 coat protein ORF, 939 bp, encodes a protein (referred to as p35) with a calculated M(r) of 34866. Multiple alignment of the p35 amino acid sequence with coat protein sequences from other closteroviruses revealed that the consensus amino acid residues (R and D) of filamentous plant viruses are preserved in the expected locations. The GLRaV-3 coat protein gene was then engineered for sense and antisense expression in transgenic plants. Transgenic *Nicotiana benthamiana* plants that contain the sense GLRaV-3 coat protein gene produced a 35 kDa protein that reacted with GLRaV-3 antibody in Western blot.

PMID: 9229001 [PubMed - indexed for MEDLINE]

Display Show: Sort Send to

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)